



Cable hanger, non-insulated, bolt-on, for 7/8" coaxial cable and E105 elliptical waveguide

### Product Description

Hanger, non-insulated, bolt-on for coaxial cable  
LCF78 / UCF78 / RCF78  
and for elliptical waveguide E105/EP105  
made of stainless steel, kit of 10



### Features/Benefits

Stainless steel hangers for supporting elliptical waveguide to tower. Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot

### Technical Specifications

Product Line	Coaxial Cable Accessories, Radiating Cable Accessories, Elliptical Waveguide Accessories, Hybrid Cable Accessories
Product Type	Hanger
Hanger Type	Bolt-On, non-insulated
Transmission Line Type	LCF78, UCF78, RCF78, E105, EP105, HB078
Cable Type	Coaxial Foam Dielectric, Radiating Cable, Hybrid
Cable Size	7/8"
Number of Cable / Waveguide Runs	1
Material	Stainless Steel
Operation Temperature, °C(°F)	-50 to 85 (-58 to 185 )
Storage Temperature, °C(°F)	-50 to 85 (-58 to 185 )
Package Quantity	10

### Notes

### Other Documentation