## BHS-158



### Single Block Hanger for 1-5/8 in coaxial cable

#### **Product Classification**

Product Type Hanger kit

Ordering Note CommScope® standard product in the United States and Canada

General Specifications

Cables per Hanger

**Color** Black

**Hanger Type** Single block hanger

Mounting 3/8 in (M10) drilled cable ladder

**Dimensions** 

Maximum Stack Height 3

 Height
 51.054 mm | 2.01 in

 Width
 71.12 mm | 2.8 in

 Length
 81.026 mm | 3.19 in

 Compatible Diameter, maximum
 51.054 mm | 2.01 in

 Compatible Diameter, minimum
 49.53 mm | 1.95 in

Nominal Size 1-5/8 in

**Electrical Specifications** 

 Return Loss Effect
 0.1 dB

 DTF Effect
 0.1 dB

Material Specifications

Material Type 30% glass filled polypropylene (PP)



# BHS-158

## **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

**Environmental Strength Capability**Double cable weight

**UV Resistance, minimum with no degradation** ≥100 hours exposure in accelerated UV life chamber

Packaging and Weights

 Height, packed
 5.1 cm | 2.008 in

 Width, packed
 25.4 cm | 10 in

 Length, packed
 25.4 cm | 10 in

Packaging quantity 10

**Weight, gross** 1.02 kg | 2.249 lb

## Regulatory Compliance/Certifications

Agency	Classification
--------	----------------

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



### \* Footnotes

Maximum Stack Height Fiber, Hybrid, Power

